

| FORM PTO-1449  |      |  |          | U.S. Dept. of Commerce<br>Patent and Trademark Office | Atty Docket No.<br>P1661R2C1 | Serial No.<br>not yet assigned |                         |
|--|------|--|----------|---|------------------------------|--------------------------------|-------------------------|
| LIST OF DISCLOSURES CITED BY APPLICANT<br>(Use several sheets if necessary)  |      |  |          | Applicant<br>Adams, Camellia et al.                   | Filing Date<br>08 Jul 2003   | Group<br>not yet assigned      |                         |
| U.S. PATENT DOCUMENTS  |      |  |          |   |                              |                                |                         |
| Examiner Initials  |      | Document Number  | Date     | Name  | Class                        | Subclass                       | Filing Date             |
| <i>DB</i>  | * 1  | 5,654,407  | 05.08.97 | Boyle et al.  | —                            | —                              |                         |
| FOREIGN PATENT DOCUMENTS   |      |  |          |   |                              |                                |                         |
| Examiner Initials  |      | Document Number  | Date     | Country   | Class                        | Subclass                       | Translation Yes      No |
| <i>DB</i>  | * 2  | WO 91/16353  | 31.10.91 | PCT   | —                            | —                              |                         |
| <i>DB</i>  | * 3  | WO 95/25167  | 21.09.95 | PCT   | —                            | —                              |                         |
| <i>DB</i>  | * 4  | WO 97/26010  | 24.07.97 | PCT   | —                            | —                              |                         |
| OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)   |      |  |          |   |                              |                                |                         |
| <i>DB</i>  | * 5  | Ahmad and Walsh, "Platelet membrane-mediated coagulation protease complex assembly" <u>Trends in Cardiovascular Medicine</u> 4(6):271-277 (1994)   |          |   |                              |                                |                         |
|  | * 6  | Ahmad et al., "Coagulation factor IX residues G <sub>4</sub> -Q <sub>11</sub> mediate its interaction with a shared factor IX/IXa binding site on activated platelets but not the assembly of the functional factor X activating complex" <u>Biochemistry</u> 37(6):1671-1679 (Feb 10, 1998) |          |   |                              |                                |                         |
|  | * 7  | Ahmad et al., "High-affinity, specific factor IXa binding to platelets is mediated in part by residues 3-11" <u>Biochemistry</u> 33(40):12048-12055 (Oct 11, 1994)   |          |   |                              |                                |                         |
|  | * 8  | Bach, R. R., "Initiation of Coagulation by Tissue Factor" <u>CRC Critical Reviews in Biochemistry</u> 23(4):339-368 (1988)   |          |   |                              |                                |                         |
|  | * 9  | Benedict et al., "Active site-blocked factor IXa prevents intravascular thrombus formation in the coronary vasculature without inhibiting extravascular coagulation in a canine thrombosis model" <u>Journal of Clinical Investigation</u> 88(5):1760-1765 (Nov 1991)                        |          |   |                              |                                |                         |
|  | * 10 | Blackburn et al., "Anti-factor IX monoclonal antibody, BC2, is a potent antithrombotic agent" <u>Blood</u> (Abstract #1885) 90(Suppl. 1):424a-425a (1997)  |          |   |                              |                                |                         |
|  | * 11 | Cheung et al., "Identification of the endothelial cell binding site for factor IX" <u>Proc. Natl. Acad. Sci. USA</u> 93(20):11068-11073 (Oct 1, 1996)  |          |   |                              |                                |                         |
|  | * 12 | Cheung et al., "The binding of human factor IX to endothelial cells is mediated by residues 3-11" <u>Journal of Biological Chemistry</u> 267(29):20529-20531 (Oct 15, 1992)  |          |   |                              |                                |                         |
|  | * 13 | Davie et al., "The Coagulation Cascade: Initiation, Maintenance, and Regulation" <u>Biochemistry</u> 30(43):10363-10370 (1991)   |          |   |                              |                                |                         |
|  | * 14 | Di Scipio et al., "Activation of human factor IX (Christmas factor)" <u>Journal of Clinical Investigation</u> 61(6):1528-1538 (Jun 1978)   |          |   |                              |                                |                         |
|  | * 15 | Figini et al., "In Vitro Assembly of Repertoires of Antibody Chains on the Surface of Phage by Renaturation" <u>J. Mol. Biol.</u> 239:68-78 (1994)   |          |   |                              |                                |                         |
|  | * 16 | Fujikawa et al., "The mechanism of activation of bovine factor IX (Christmas factor) by bovine factor XIa (activated plasma thromboplastin antecedent)" <u>Biochemistry</u> 13(22):4508-4516 (Oct 22, 1974)  |          |   |                              |                                |                         |
|  | * 17 | Heimark and Schwartz, "Binding of coagulation factors IX and X to the endothelial cell surface" <u>Biochemical &amp; Biophysical Research Communications</u> 111(2):723-731 (Mar 16, 1983)   |          |   |                              |                                |                         |
|  | * 18 | Janeway et al. <u>Immunobiology</u> , Garland Press, 4th edition, London NY pps. 87 (1999)   |          |   |                              |                                |                         |
| <i>DB</i>  | * 19 | Lewis et al <u>Blood</u> 56(4):608-614 (1980)  |          |   |                              |                                |                         |
| Examiner<br><i>Daniel Blahut</i>   |      |  |          | Date Considered<br><i>4/15/05</i>                     |                              |                                |                         |
| * Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. |      |  |          |   |                              |                                |                         |

|  |   |   |                              |                                |  |
|--|---|---|------------------------------|--------------------------------|--|
| FORM PTO-1449  |   | U.S. Dept. of Commerce<br>Patent and Trademark Office   | Atty Docket No.<br>P1661R2C1 | Serial No.<br>not yet assigned |  |
| LIST OF DISCLOSURES CITED BY APPLICANT<br><br>(Use several sheets if necessary)  |   | Applicant<br>Adams, Camellia et al.   |                              |                                |  |
|  |   | Filing Date<br>08 Jul 2003  | Group<br>not yet assigned    |                                |  |
| <b>OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)</b>  |   |   |                              |                                |  |
| <br> | *20   | Lewis et al., "Isolation of $\text{Ca}^{++}$ -dependent human antibodies to human factor IX" <u>Circulation</u> (abstract #1070) 62(4):III-279 (Oct 1980)   |                              |                                |  |
|  | *21   | Liebman et al., "The factor IX phospholipid-binding site is required for calcium-dependent activation of factor IX by factor XIa" <u>Journal of Biological Chemistry</u> 262(16):7605-7612 (Jun 5, 1987)  |                              |                                |  |
|  | *22   | Liebman, H., "The metal-dependent conformational changes in factor IX associated with phospholipid binding. Studies using antibodies against a synthetic peptide and chemical modification of factor IX" <u>European Journal of Biochemistry</u> 212(2):339-345 (Mar 1, 1993) |                              |                                |  |
|  | *23   | Limentani et al. <u>Hemostasis and Thrombosis Basic Principles and Clinical Practice</u> , Chapter 5, Coleman et al. Eds., Third edition, Philadelphia:Lippincott Company (1994)  |                              |                                |  |
|  | *24   | Mann et al., "Surface-dependent hemostasis" <u>Seminars in Hematology</u> 29(3):213-226 (Jul 1992)  |                              |                                |  |
|  | *25   | Osterud and Rapaport, "Activation of factor IX by the reaction product of tissue factor and factor VII: additional pathway for initiating blood coagulation" <u>Proc. Natl. Acad. Sci. USA</u> 74(12):5260-5264 (Dec 1977)  |                              |                                |  |
|  | *26   | Osterud et al., "Human blood coagulation factor IX: Purification, properties, and mechanism of activation by activated factor XI" <u>Journal of Biological Chemistry</u> 253(17):5946-5951 (Sep 10, 1978)   |                              |                                |  |
|  | *27   | Pike et al., "Immunochemical characterization of a monoclonal $\gamma$ G4, A human antibody to factor IX" <u>Blood</u> 40(1):1-10 (Jul 1972)  |                              |                                |  |
|  | *28   | Prorok et al., "The entire $\gamma$ -carboxyglutamic acid- and helical stack-domains of human coagulation factor IX are required for optimal binding to its endothelial cell receptor" <u>International Journal of Peptide &amp; Protein Research</u> 48:281-285 (1996)       |                              |                                |  |
|  | *29   | Rawala-Sheikh et al., "Role of $\gamma$ -carboxyglutamic acid residues in the binding of factor IXa to platelets and in factor-X activation" <u>Blood</u> 79(2):398-405 (Jan 15, 1992)  |                              |                                |  |
|  | *30   | Refino et al., "A Human Antibody That Binds to the $\gamma$ -Carboxyglutamic Acid Domain of Factor IX is a Potent Antithrombotic In Vivo." <u>Thrombosis and Haemostasis</u> 82(3):1188-1195 (Sep 1999).  |                              |                                |  |
|  | *31   | Reisner et al., "Immunochemical characterization of a polyclonal human antibody to factor IX" <u>Blood</u> 50(1):11-19 (Jul 1977)   |                              |                                |  |
|  | *32   | Ryan et al., "Structural determinants of the factor IX molecule mediating interaction with the endothelial cell binding site are distinct from those involved in phospholipid binding" <u>Journal of Biological Chemistry</u> 264(34):20283-20287 (Dec 5, 1989)               |                              |                                |  |
|  | *33   | Sekiya et al., "Regulation of the tertiary structure and function of coagulation factor IX by magnesium (II) ions" <u>Journal of Biological Chemistry</u> 270(24):14325-14331 (Jun 16, 1995)  |                              |                                |  |
|  | *34   | Spanier et al., "Heparinless cardiopulmonary bypass with active-site blocked factor IXa: a preliminary study on the dog" <u>Journal of Thoracic &amp; Cardiovascular Surgery</u> 115(5):1179-1188 (May 1998)  |                              |                                |  |
|  | *35   | Stenflo and Dahlback, "Vitamin K-Dependent Proteins" <u>The Molecular Basis of Blood Diseases</u> , Stamatoyannopoulos et al. eds., 2nd edition, Philadelphia, PA:Saunders pp. 565-598 (1994)   |                              |                                |  |
|  | *36   | Suggett et al., "Use of phage display for the generation of human antibodies that neutralize factor IX function" <u>Blood</u> (abstract #2266) 92(10 suppl. 1):551a (Nov 15, 1998)  |                              |                                |  |
|  | *37   | Sugo et al., "Anti-human factor IX monoclonal antibodies specific for calcium ion-induced conformations" <u>Thrombosis Research</u> 58(6):603-614 (Jun 15, 1990)  |                              |                                |  |
|  | *38   | Toomey et al., "The endothelial cell binding determinant of human factor IX resides in the $\gamma$ -carboxyglutamic acid domain" <u>Biochemistry</u> 31(6):1806-1808 (Feb 18, 1992)  |                              |                                |  |
|  | *39   | Wong et al., "Relative efficacy of active site-blocked factors IXa, Xa in models of rabbit venous and arterio-venous thrombosis" <u>Thrombosis and Haemostasis</u> 77(6):1143-1147 (Jun 1997)   |                              |                                |  |
|  | Examiner<br><i>Paul Blundell</i>  | Date Considered<br>4/15/05  |                              |                                |  |
|  | *Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. |   |                              |                                |  |

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.